



# ULTRACOOOL™

The Ultimate in High Speed Flexible Doors

The self-repairing R-Bac™ UltraCool™ door is designed for high traffic cold storage applications where the need for speed is paramount. It was designed specifically for high traffic, heavy duty cooler facilities. When fork-truck traffic is high, door speed is important and safety concerns are at a premium, UltraCool™ is the door solution.

## Speed

UltraCool™ opens at up to 100 inches per second.

## Controls

R-Bac's™ UltraCool™ Controller is people friendly and extremely intuitive. Control box includes an integrated rotary disconnect standard.

## Visibility

Optional 17" X 17" windows available.

## Panel Material

Two ply monofilament standard with three ply monofilament panels optional. Blue and yellow standard.

## Maintenance

The self-repairing UltraCool™ is designed to be low maintenance and cycle hundreds of thousands of times.

## BacSeal™ Weather Seal

The UltraCool™ seal is unmatched. The top header and side frames are sealed tight.

## Wireless Safety System


Eliminate coil cords with R-Bac's™ optional patent pending wireless safety system.



R-Bac doors are Ultra-Tough, Ultra-Reliable and Ultra-Affordable. E-mail or call us today.

# ULTRACOOL™

**R-BAC**'s self-repairing UltraCool™ high speed cold storage doors are tough, built to last and engineered to cycle hundreds of thousands of times.



### BacFlap™ Auto-Reset System

When impacted the door panel will automatically reset itself. BacFlaps™ insure against panel tearing.




### BacLight™ Safety System (Optional)

R-Bac's™ exclusive safety light barrier projects a curtain of light six feet tall across both sides of the door panel to prevent injuries.



### UltraSmart™ Controller

UltraSmart™ walks you through problems on the control screen. Modular components minimize cost and improve reliability.




### Patent Pending Modular Design

The R-Bac™ patent pending extrusion design allows for easy maintenance and repair in the field.



### BacOut™ Safety System (Optional)

Counter-Balance design allows the door to be manually raised in the event of a power failure. No manual cranks in the event of an emergency. *Availability depends on door size.*



### BacTrack™ Soft Bottom Bar (Optional)

Fully padded safety bottom bar. Automatically resets after impact. Self-repairing.



### BacSeal™ Weather Seal

Double seal on the back spreader bar and double seal on the front extrusions. When the door is down, the panel is sealed.



### Wireless Safety System (Optional)

Cut your cord with R-Bac's™ patent pending Wireless Safety System and eliminate costly repairs and downtime associated with coil cords.



doors are Ultra-Tough, Ultra-Reliable and Ultra-Affordable. E-mail or call us today.